


Tip SKC

-Distantier special


Otel Inox



Tip otel inox	Cod	Cod lungime $L \pm 0.13$										A ± 0.08	B ± 0.08	C Max.	S ± 0.08	M Max.	H Nom.	D $\emptyset y$
SKC	61.5	6	8	10	12	14	16	18	20 ^{ns}	22 ^{ns}	25 ^{ns}	2.5	4.5	5.38	1.72	2.75	6.35	5.5




Tip	PANEL 1					PANEL 2					Material	Grosime	C ₂ min.	
	B \emptyset	Max. duritate	min. grosime	C ₁ min	toleranta	A ₁ Nom.	A ₂ ± 0.08	A ₃ ± 0.08	A ₄ Min.					
SKC	5.4	HRB 70	1	6.6	± 0.13	1.5	3	5	3.75	PC Board or Metal	1.45-1.62	4.1		

MONTAJ SKC




Tip SLPS

Pentru conectori



MONTAJ




Tip	Cod marginie	Grosime tabla	\emptyset gaura in conector	A $\pm .003$	B $\pm .003$	C Max.	H Nom.	L $\pm .005$	M Max.	P Max.	S $\pm .003$	Cota minima capat
SLPS	120-172	.036 - .043	.120	.096	.143	.119	.218	.172	.073	.060	.188	.110


Elemente de panou cu sistem captiv

Tip PFK

pentru placi compozite sau
cu duritate sub HRB 70



MONTAJ




Filet	Tip	Cod filet	Cod lungime surub	A Max.	Grosime material	\emptyset in placa + 0.08	C ± 0.08	E $+0.4$ -0.13	G ± 0.4	H ± 0.13	P ± 0.13	T ₁ Max.	T ₂ ± 1.02	Cota minima capat
M3 x 0.5	PFK	M3	40 62 ^{ns} 84 ^{ns}	1.5	1.5	6.75	7.28	8.2	6.4 9.5 12.7	0 3.2 6.4	1.83	9.1	13.8	5.1

Tip PFC2 PFS2




disponibil si negru
rezistent la zgiriere




Filet	Tip		Cod filet	Cod lungime	A Max.	Grosime minima tabla	$\varnothing y$ in tabla + 0.08	C Max.	E ± 0.4 - 0.25	G ± 0.4	H ± 0.13	P ± 0.4	T1 Max.	T2 ± 1.02	Cota minima capat
	otel	inox													
M3 x 0.5	PFS2	PFC2	M3	40 62 ^{ss}	1.5	1.5	6.75	6.7	7.9	6.4 9.5	1.83	0 3.2	9.1	13.8	6.4
M4 x 0.7	PFS2	PFC2	M4	50 72 ^{ss} 94 ^{ss}	1.5	1.5	7.95	7.9	9.5	7.9 11.1 14.3	2.08	0 3.2 6.4	11.4	17.7	7.9
M5 x 0.8	PFS2	PFC2	M5	50 72 94 ^{ss}	1.5	1.5	8.75	8.7	10.3	7.9 11.1 14.3	2.08	0 3.2 6.4	11.4	17.7	8.7
M6 x 1	PFS2	PFC2	M6	60 82 ^{ss} 04 ^{ss}	1.5	1.5	10.5	10.5	11.9	9.5 12.7 15.9	2.49	0 3.2 6.4	14.6	22.4	9.5

MONTAJ PFC2, PFS2, PFC2P



Tip PFC2P

Capul surubului
retras/inecat dupa
insurubare




Filet	Tip	Cod surub	Cod filet	A Max.	Grosime minima tabla	gaura tabla + 0.08	C Max.	E ± 0.25	G ± 0.4	P ± 0.4	T1 Max.	T2 ± 1.02	Ghidaj nr.	Cota minima capat
M3 x 0.5	PFC2P	M3	40 62 ^{ss}	1.5	1.5	6.75	6.7	7.9	6.4 9.5	0 3.2	9.4	13.8	#1	6.4
M4 x 0.7	PFC2P	M4	50 72 ^{ss} 94 ^{ss}	1.5	1.5	7.95	7.9	9.5	7.9 11.1 14.3	0 3.2 6.4	12.2	17.8	#2	7.9
M5 x 0.8	PFC2P	M5	50 72 94 ^{ss}	1.5	1.5	8.75	8.7	10.3	7.9 11.1 14.3	0 3.2 6.4	12.4	17.8	#2	8.7
M6 x 1	PFC2P	M6	60 82 ^{ss} 04 ^{ss}	1.5	1.5	10.5	10.46	11.9	9.5 12.7 15.9	0 3.2 6.4	15.7	23	#3	9.5

Tip PF31 PF32


Pentru materiale cu
o duritate pina la
HRB60



disponibil si negru
rezistent la zgiriere




MONTAJ




Filet	Tip	Cod filet	Cod lungime surub	A Max.	Grosime minima tabla	gaura in tabla + 0.08	C Max.	E + 0.4 - 0.13	G ± 0.4	H ± 0.13	T1 Max.	T2 ± 0.4	Cota minima capat
M3 x 0.5	PF31 ^{ss} PF32	M3	30	0.97 1.47	1 1.5	5.5	5.47	10.3	7.6	5.1	8.3	15.3	6.6
M4 x 0.7	PF31 PF32	M4	30	0.97 1.47	1 1.5	6.4	6.37	11.9	7.6	5.3	8.4	15.4	7.4
M5 x 0.8	PF31 PF32	M5	30	0.97 1.47	1 1.5	8	7.97	13.5	7.6	5.6	8.5	15.4	8.4
M6 x 1	PF32 ^{ss}	M6	35	1.47	1.5	9.5	9.47	15.9	8.9	6.1	9.7	17	9.7

Tip PFHV




MONTAJ




Filet	Tip	Cod filet	Cod lungime surub	A Max.	Grosime minima tabla in tabla + 0.08	\varnothing Max.	C Max.	E ± 0.25	G ± 0.64	H ± 0.13	P ± 0.4	T ₁ Nom.	T ₂ Nom.	Ghidaj nr.	Cota minima capat
M3x0.5	PFHV	M3	0	0.86	0.92	5.5	5.47	6.95	5.55 7.56	2.03	0 1.9	6.69	11.25	#1	5.8
			1												
M3.5x0.6	PFHV	M3.5	0	0.86	0.92	6	5.97	7.45	6.01 8.42	2.34	0 2.3	7.45	12.47	#2	6.3
			1												
M4x0.7	PFHV	M4	0	0.86	0.92	6.4	6.37	7.85	6.59 9.39	2.79	0 2.7	8.5	14.1	#2	6.7
			1												

Tip PF11

PF12



MONTAJ



Filet	Tip	Cod filet	Cod lungime surub	A Max.	Gros. min. tabla in tabla + 0.08	\varnothing Max.	C Max.	E ± 0.25	G ± 0.64	P ± 0.64	T ₁ Nom.	T ₂ Nom.	Ghidaj nr.	Cota minima capat	
M3 x 0.5	PF11	PF12	M3	0	0.92	0.92	5.56	5.53	10.46	5.08 6.6 8.13	0 1.52 3.05	7.87	11.94	#1	7.1
				1						5.84 0	11.18	16.26	#2	7.37	
				2						5.84 0.305					
M3.5 x 0.6	PF11	PF12	M3.5	0	0.92	0.92	6.35	6.32	11.25	5.84 7.37 8.89	0 1.52 3.05	11.18	16.26	#2	7.37
				1						5.84 0	11.3	16.3	#2	8.4	
				2						5.84 0.305					
M4 x 0.7	PF11	PF12	M4	0	0.92	0.92	7.92	7.9	12.85	5.84 7.37 8.89	0 1.52 3.05	11.3	16.3	#2	8.4
				1						5.84 0.305					
				2						5.84 0					
M5 x 0.8	PF11	PF12	M5	0	0.92	0.92	7.92	7.9	12.85	5.84 7.37 8.89	0 1.52 3.05	11.3	16.3	#2	8.4
				1						5.84 0.305					
				2						5.84 0					
M6 x 1	PF11	PF12	M6	0	0.92	0.92	9.53	9.5	14.55	5.84 7.37 8.89	0 1.52 3.05	13.5	20.3	#3	11.7
				1						5.84 0.305					
				2						5.84 0					


Tip PFP

 standard cu cap din ABS negru (alte culori la cerere)


Filet	Tip	Cod filet	Cod lungime surub	A Max.	Grosime minima tabla in tabla + 0.08	\varnothing Max.	C Max.	E ± 0.25	G ± 0.64	P ± 0.64	T ₁ Nom.	T ₂ Nom.	Ghidaj nr.	cota minima capat	Ecart lateral
M3 x 0.5	PFP	M3	0	0.92	0.92	5.16	5.13	13.77	5.84 7.37	0 1.52	11.07	16.15	#1	5.4	.38
			1												
M3.5 x 0.6	PFP	M3.5	0	0.92	0.92	5.56	5.53	13.77	5.84 7.37	0 1.52	11.07	16.15	#2	5.8	.51
			1												
M4 x 0.7	PFP	M4	0	0.92	0.92	6.35	6.32	15.09	5.84 7.37	0 1.52	11.07	16.15	#2	6.7	.51
			1												

Tip PTL2

- Plunger cu arc
- pentru placi duritate max HRB 80.




MONTAJ




Tip PF10

Sistem retinere cu surub inecat



Tip PS10


Surub



filet	Tip	Cod fillet	Cod inel	E Nom.	H +0.05 -0.15	L ± 0.25	T Nom.
M3 x 0.5	PS10	M3	40	4.7	1.9	8.3	3.3
M4 x 0.7	PS10	M4	40	6.3	1.9	8.3	3.3
M5 x 0.8	PS10	M5	40	7.1	1.9	8.3	3.3

Tip PR10


Inel retinere



Filet	Tip	Cod fillet	A Max.	Grosime minima tabla	Grosime la fata	Ø in tabla +0.08	B Nom.	C Max.	E Nom.	H Nom.	Cota min. capat
M3 x 0.5	PR10	M3	3.15	1.4	3.2	7.1	5	7.08	7.9	2	7.9
M4 x 0.7	PR10	M4	3.15	1.4	3.2	8.75	6.5	8.71	9.5	2	8.7
M5 x 0.8	PR10	M5	3.15	1.4	3.2	9.5	7.4	9.47	10.3	2	9.2

Tip N10

Receptor




Filet	Tip	Cod fillet	Cod inel	A Max.	Grosime min. tabla	Ø in tabla +0.08	C Max.	E Nom.	F ± 0.25	H Nom.	T ± 0.13	Cota min. capat
M3 x 0.5	N10	M3	1	0.97	1	4.75	4.73	7.1	3.3	3.2	6	5.6
M4 x 0.7	N10	M4	1	0.97	1	6.4	6.38	8.7	3.3	4.7	6	7.1
M5 x 0.8	N10	M5	1	0.97	1	7	6.96	9.5	3.3	5.4	6	7.9

(sistem folosind piulita receptor F10 in loc de N10)

Tip F10




Piulita flotanta



filet	Tip	Cod fillet	Cod inel	A Max.	Grosime min. tabla	Ø in tabla +0.08	C Max.	D Max.	E Max.	F ± 0.25	T ± 0.25	Cota min. capat
M3 x 0.5	F10 ^{s1}	M3	1	0.97	1	7.4	7.34	7.4	9.1	2.6	5.1	7.6
M4 x 0.7	F10 ^{s3}	M4	1	0.97	1	9.4	9.3	9.3	11.2	2.6	4.9	8.7
M5 x 0.8	F10 ^{s5}	M5	1	0.97	1	10.3	10.27	10.27	11.2	2.6	4.9	9

Tip PFT

Surub cu cap de plastic negru
(Alte culori la cerere)



filet	Tip		Cod fillet	Cod inel	A ± 0.25	C ± 0.40	E ± 0.40	G ± 0.64	S Max.	T ± 0.40		
M3 x 0.5	PFT	L	M3	0	1.91	8.89	12.7	8.5	1.05	10.34	#10	3.73
				1				12.7				1
M3.5 x 0.6	PFT	L	M3.5	0	1.91	8.89	12.7	8.5	1.25	10.34	#15	3.96
				1				12.7				1.3
M4 x 0.7	PFT	L	M4	0	1.91	10.16	14.73	8.5	1.45	11.71	#20	4.78
				1				12.7				1.6
M5 x 0.8	PFT	L	M5	0	1.91	10.16	14.73	8.5	1.65	11.71	#20	5.28
				1				12.7				1.6